



MBZSCF FINAL REPORT Grant 232533153- 2024

صندوق محمد بن زايد
للمحافظة على الكائنات الحية
The Mohamed bin Zayed SPECIES CONSERVATION FUND



Proyecto Gato del Desierto






Conflicts with members of the community.



In the hamlets of the San Felipe Pedregal Peasant Community, Trigopampa, and Molle Corral, the project was initiated through the implementation of workshops aimed at informing about the benefits of carnivores within their ecosystem.



The project partners signed their letters of commitment to initiate the implementation of the project, ensuring the conservation of the desert cat (*Leopardus garleppi*).



Materials were delivered for the construction of chicken coops as part of the initial project activities.





During the construction process, continuous monitoring of the progress was carried out.





Once the chicken coops were constructed, farm-raised chickens and feed were provided to the project beneficiaries.



[illegible]

 Su composición le hace eficaz contra diversas infecciones respiratorias, como la enfermedad respiratoria crónica, el coriza infeccioso y la neumonía.  está indicado para infecciones por  m.  m.  ERC, síndromes respiratorios, coriza infeccioso, cólera infantil,  colibacilosis,  SÍNTOMAS: RASGOS DE SANGRE EN HECEES, INFECCIONES RESPIRATORIA, MOQUILLO	• MATAR PARÁSITOS EXTERNOS COMO: • PULGAS PIJOS CAMOS ACAROS DOSIS 1. PARA POLLOS, GALLINAS Y GALLOS ADULTOS: • 3 GOTAS A LO LARGO DEL LOMO 2. PARA PERROS: • 20 GOTAS EN EL LOMO 3. PARA CUYES: • 4 GOTAS A LO LARGO DEL LOMO CUANDO UNA GALLINA CULECA O SACANDO POLLOS SE LE PONE A LOS 15 DÍAS QUE QUE ESTE HECHADA PARA EVITAR LA PROPAGACIÓN DEL CAMO REPETIR LA DOSIS A LOS 3 MESES
<u>INDICACIONES Y DOSIS: VIA ORAL</u> • PARA AVES PEQUEÑAS DE 3 A 4 GOTAS CADA 24 HORAS DE 4 A 5 DÍAS • PARA AVES GRANDES DE 5 A 6 GOTAS CADA 24 HORAS POR 6 A 7 DÍAS <u>HEMATEC</u> Potente energizante y anti estresante. Reconstituyente en suspensión oral con efecto energizante, anti estresante, , antioxidante, estimulante inmune sobre la base de minerales y vitaminas liposolubles, hidrosolubles y aminoácidos esenciales. Recupera el apetito de animales que han sufrido alguna enfermedad infecciosa. Incrementa la fertilidad y vitalidad en reproductores. Mejora la cáscara del huevo. Recupera las aves en proceso de muda	<u>NITEX</u> SIRVE PARA Para el control de parásitos internos en aves de corral de los géneros , ,  que infectan las regiones intestinales y cecales respectivamente. Para el control indirecto de ,  como habitante de la carne en las explotaciones avícolas. Otros ectoparásitos como: Pijos y Acaros
 <u>INDICACIONES Y DOSIS: VIA ORAL</u> <u>3 GOTAS AL DÍA CADA 24 HORAS POR 3 DÍAS</u>	 DOSIS 1. PARA POLLOS, GALLINAS Y GALLOS ADULTOS: • 2 GOTAS POR CADA KILO 2. PARA POLLOS DE 1 MES: • 2 GOTAS

Vaccination campaigns were carried out with the aim of reducing disease incidence and increasing poultry productivity.




The construction of the chicken coops was successfully completed







Additionally, further activities were implemented, such as the installation of camera traps for monitoring *Leopardus garleppi*.



Participation in different venues for the dissemination of the project and the conservation of the species



Acknowledgements

